

# ACRITEC

DOORS: SHOWERS & BATHS, ALCOVE DOOR, DOUBLE THRESHOLD

## CORTEZ - HINGED DOOR





# ACRITEC

DOORS: SHOWERS & BATHS, ALCOVE DOOR, DOUBLE THRESHOLD

## CORTEZ - HINGED DOOR

### LH DOOR



#### LEFT-HAND DOOR

PART #	A X B NOMINAL DIMENSIONS	D FIXED PANEL	C DOOR PANEL	A ACTUAL	B RETURN PANEL ACTUAL
51603.S42LH.51643	42" x 30"	14"	23 5/8"	39 3/4" - 40 1/8"	27" - 27 3/4"
51603.S42LH.51653	42" x 32"	14"	23 5/8"	39 3/4" - 40 1/8"	29" - 29 3/4"
51603.S42LH.51663	42" x 34"	14"	23 5/8"	39 3/4" - 40 1/8"	31" - 31 3/4"
51603.S42LH.51673	42" x 36"	14"	23 5/8"	39 3/4" - 40 1/8"	33" - 33 3/4"
51603.S48LH.51643	48" x 30"	20"	23 5/8"	45 3/4" - 46 1/8"	27" - 27 3/4"
51603.S48LH.51653	48" x 32"	20"	23 5/8"	45 3/4" - 46 1/8"	29" - 29 3/4"
51603.S48LH.51663	48" x 34"	20"	23 5/8"	45 3/4" - 46 1/8"	31" - 31 3/4"
51603.S48LH.51673	48" x 36"	20"	23 5/8"	45 3/4" - 46 1/8"	33" - 33 3/4"
51613.S60LH.51643	60" x 30"	28"	27 1/2"	57 3/4" - 58 1/8"	27" - 27 3/4"
51613.S60LH.51653	60" x 32"	28"	27 1/2"	57 3/4" - 58 1/8"	29" - 29 3/4"
51613.S60LH.51663	60" x 34"	28"	27 1/2"	57 3/4" - 58 1/8"	31" - 31 3/4"
51613.S60LH.51673	60" x 36"	28"	27 1/2"	57 3/4" - 58 1/8"	33" - 33 3/4"
51613.S66LH.51643	66" x 36"	34"	27 1/2"	63 3/4" - 64 1/8"	27" - 27 3/4"
51613.S66LH.51653	66" x 36"	34"	27 1/2"	63 3/4" - 64 1/8"	29" - 29 3/4"
51613.S66LH.51663	66" x 36"	34"	27 1/2"	63 3/4" - 64 1/8"	31" - 31 3/4"
51613.S66LH.51673	66" x 36"	34"	27 1/2"	63 3/4" - 64 1/8"	33" - 33 3/4"

REV. 4/ 25/ 2018

\*Drawings are not to scale

\*All measurements are ±1/4"



In keeping with our policy of continuing improvement, Acritec industries Corp. reserves the right to change product specifications without notice.

# ACRITEC

DOORS: SHOWERS & BATHS, ALCOVE DOOR, DOUBLE THRESHOLD

## CORTEZ - HINGED DOOR

### RH DOOR



#### RIGHT-HAND DOOR

PART #	A X B NOMINAL DIMENSIONS	D FIXED PANEL	C DOOR PANEL	A ACTUAL	B RETURN PANEL ACTUAL
51606.S42RH.51643	42" x 30"	14"	23 5/8"	39 3/4" - 40 1/8"	27" - 27 3/4"
51606.S42RH.51653	42" x 32"	14"	23 5/8"	39 3/4" - 40 1/8"	29" - 29 3/4"
51606.S42RH.51663	42" x 34"	14"	23 5/8"	39 3/4" - 40 1/8"	31" - 31 3/4"
51606.S42RH.51673	42" x 36"	14"	23 5/8"	39 3/4" - 40 1/8"	33" - 33 3/4"
51606.S48RH.51643	48" x 30"	20"	23 5/8"	45 3/4" - 46 1/8"	27" - 27 3/4"
51606.S48RH.51653	48" x 32"	20"	23 5/8"	45 3/4" - 46 1/8"	29" - 29 3/4"
51606.S48RH.51663	48" x 34"	20"	23 5/8"	45 3/4" - 46 1/8"	31" - 31 3/4"
51606.S48RH.51673	48" x 36"	20"	23 5/8"	45 3/4" - 46 1/8"	33" - 33 3/4"
51616.S60RH.51643	60" x 30"	28"	27 1/2"	57 3/4" - 58 1/8"	27" - 27 3/4"
51616.S60RH.51653	60" x 32"	28"	27 1/2"	57 3/4" - 58 1/8"	29" - 29 3/4"
51616.S60RH.51663	60" x 34"	28"	27 1/2"	57 3/4" - 58 1/8"	31" - 31 3/4"
51616.S60RH.51673	60" x 36"	28"	27 1/2"	57 3/4" - 58 1/8"	33" - 33 3/4"
51616.S66RH.51643	66" x 36"	34"	27 1/2"	63 3/4" - 64 1/8"	27" - 27 3/4"
51616.S66RH.51653	66" x 36"	34"	27 1/2"	63 3/4" - 64 1/8"	29" - 29 3/4"
51616.S66RH.51663	66" x 36"	34"	27 1/2"	63 3/4" - 64 1/8"	31" - 31 3/4"
51616.S66RH.51673	66" x 36"	34"	27 1/2"	63 3/4" - 64 1/8"	33" - 33 3/4"

REV. 4/ 25/ 2018

\*Drawings are not to scale

\*All measurements are ±1/4"

In keeping with our policy of continuing improvement, Acritec industries Corp. reserves the right to change product specifications without notice.

\*MEASUREMENTS RELATE TO MATCHING SHOWERBASE SIZES AT ROUGH IN STAGE (PRE-FINISHING)

# ACRITEC

DOORS: SHOWERS & BATHS, ALCOVE DOOR, DOUBLE THRESHOLD

## CORTEZ - HINGED DOOR

### PRODUCT SPECIFICATIONS


- Tempered glass with easy cleaning protective coating.
- Stainless steel (INOX) hardware for improved durability.
- Die-cast aluminum handle, with a polished chrome finish.
- Tempered 8mm door, side and return panels.
- Plated brass rising hinges for assisted closing.
- Body sprayer compatible.
- 1 Year limited manufacturer's warranty included.

### DESIGN FEATURES

- Translucent full length seals.
- Easy adjustment door system.
- Semi-frameless design.
- Extra tall, 78 <sup>3</sup>/<sub>4</sub>" for increased entry height.



EXTRA TALL



TEMPERED  
8MM GLASS



WETROOM  
COMPATIBLE



CORROSION  
RESISTANT



EASY CLEAN  
FINISH



ADJUSTABLE  
PROFILES