BATHROOM
Pressure Balancing Shower
System - Shower with
Handshower
G-7295-LM36S







Information

- 1/2" pressure balancing valve with diverter and trim
- 8" showerhead with 12" wall-mounted shower arm
- Showerhead features no-clog, easy-clean spray nozzles
- Handshower set with wall bracket and 59" hose (PVD finishes use 59" flex hose)
- Optional extension kit
- Flow rates: showerhead ≤ 1.8 max gpm, handshower ≤ 1.5 max gpm
- ADA
- CALGreen





- Anti-scald protection
- 1/2" universal inlets/outlets with male threads
- Built-in service stops
- Push-button diverter
- For use with tub & shower configuration
- Supplied with protective plastic guard



24K Gold



Gold



24K Brushed Architectural Black™



Brushed Nickel





Matte Black Olive Bronze



Polished Chrome



Nickel



SteeInox® (Satin Nickel)



Architectural White






Product Features

- Anti-scald protection
- 1/2" universal inlets/outlets with male threads
- Built-in service stops
- Push-button diverter
- For use with tub & shower configuration
- Supplied with protective plastic guard

Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en-nam/warranty



G-7090-LM36S-T





Information

- Single metal handle
- Decorative trim plate
- To complete package, you must order G-7055 pressure balancing rough valve for shower and tub configurations
- ADA



24K Gold



Gold



24K Brushed Architectural Black™



Brushed Nickel





Matte Black Olive Bronze



Polished Chrome



Polished Nickel



SteeInox® (Satin Nickel)



Architectural White





- 1/4" thick
- 144 no-clog, easy-clean rubber spray nozzles
- Recommended use with ceiling shower arm
- Recommended for use at no more than 10 degrees tilt
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen



24K Gold



Gold



24K Brushed Architectural Black™



Brushed Nickel





Matte Black Olive Bronze



Chrome



Polished Nickel



SteeInox® (Satin Nickel)




Architectural White






Product Features

- 1/4" thick
- 144 no-clog, easy-clean rubber spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm





Available Finishes

- Polished Chrome G-8438-PC
- Brushed NickelG-8438-PN
- Polished Nickel G-8438-BNi
- Unfinished Brass*
 G-8438-UB*
- Steelnox
 - G-8438-SN
- Olive Brass* G-8438-OB*
- Architectual Black with Chrome Accents*
 G-8438-PC/BK*
- Gold* G-8438-AU*
- Brushed Gold*G-8438-BAU

Code Compliance

CALGreen


Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

^{*} Special order finish- call for availability





- Includes arm and square flange
- 1/2" NPT male thread inlet
- For use with all showerheads (especially G-8438)



24K Gold



Gold



24K Brushed Architectural Black™



Brushed Nickel



Matte Black Olive Bronze





Chrome




Polished Nickel




SteeInox® (Satin Nickel)



Architectural White







- Includes spout ring
- 1/2" NPT male thread inlet
- Tub spout flow rate ~ 8.7 gpm @60 psi



24K Gold



Gold



24K Brushed Architectural Black™



Brushed Nickel





Matte Black Olive Bronze



Chrome



Polished Nickel



SteeInox® (Satin Nickel)



Architectural White





Product Features

- Includes spout ring
- 1/2" NPT male thread inlet

Available Finishes

- Polished Chrome G-8575-PC
- Polished Nickel
 G-8575-PN
- Steelnox® (Satin Nickel)
 G-8575-SN
- Olive Bronze™
 G-8575-OB
- Architectural Black with Chrome Accents G-8575-PC/BK

Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en-nam/warranty

