






- 3/4" thermostatic valve and trim
- 3/4" 2-way diverter valve and trim
- G-8760 Ametis Ring with waterfall and rain shower settings, features no-clog, easy-clean nozzles
- Single LED light with 6 color variations
- Includes wall-mount button for LED control box
- Optional extension kit
- Flow rates: rain shower ≤ 2.0 max gpm, waterfall ≤ 2.0 max gpm
- CALGreen





- Single metal handle
- Decorative trim plate
- Use with G-8006 Thermostatic Rough Valve



Black™



Architectural Matte Black




Polished Chrome



Architectural White

G-8037-C19E HARLEY Series









- Single metal handle
- Decorative trim plate
- Use with G-8052 2-Way Diverter Volume Control Valve WITH Off Function and Pass-Through



Black™



Architectural Matte Black





Polished Chrome



Architectural White

G-8068-C19E1 HARLEY Series











- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions



Black™



Architectural Matte Black



Polished Chrome



Architectural White





- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


• CALGreen

Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs






SHOWER Two-Way Diverter Volume Control

Valve WITH Off Function and Pass-Through

G-8052





Information

- 11.7 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Operates one function at a time
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CALGreen compliant depending on functions



Black™



Architectural Matte Black



Polished Chrome



Architectural White





- 12.1 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance

• CALGreen


Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs







- Wall-mounted installation
- 6-color LED chromotherapy lighting
- Dual-function water feature with cascade & waterfall shower settings
- Features no-clog, easy-clean nozzles
- Flow rates: rain shower ≤ 2.0 max gpm, waterfall ≤ 2.0 max gpm
- Includes wall-mount button for LED control box
- CALGreen



Black™



Architectural Matte Black



Polished Chrome



Architectural White





- Wall-mounted installation
- 6-color LED chromotherapy lighting
- Dual-function water feature with waterfall and rain shower settings
- Features no-clog, easy-clean spray nozzles
- Flow rates: rain shower ≤ 2.0 max gpm, waterfall ≤ 2.0 max gpm
- Includes wall-mount button for LED control box

Available Finishes

- Polished Chrome G-8760-PC
- Architectual Black* G-8760-BK*
- Architectual White*
 G-8760-WT*


Code Compliance

CALGreen

Warranty


Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty



^{*} Special order finish- call for availability







Architectural Matte Black Black™





Polished Chrome



Architectural White





• Complete rough for Ametis Ring G-8760-**

Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en-nam/warranty

