

3-way no share Type T/P coaxial complete valve **RF47** 



# **Specifications**

## Composition

- R45 3-way Type T/P coaxial valve rough
- TRF47C 3-way no share Type T/P coaxial valve trim

### Available flows

• Type TP - For use with shower heads rated at 7L/min (1.8 gpm) or higher

• 19 L/min, 5.0 gpm (US) 60psi

### Certifications

- CSA B125.1
- ASME A112.18.1
- ASSE 1016

**UPC®** 

### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.



3-way Type T/P coaxial valve rough **R45** 



## **Specifications**

## Descriptions

- TXX45XX or TXX47XX trim required to complete
- <sup>1</sup>/<sub>2</sub>" inlet male NPT or sweat
- Service valves
- Rough only
- Three <sup>1</sup>/<sub>2</sub>" outlets male NPT or sweat
- Test cap
- Available colors

## •:

- Certifications
- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

Ø4 4 3/4 [102 mm] [120 mm] <sup>`</sup> Finished wall / Mur fini 4 1/4 [107 mm] 1 3/4 [46 mm] 1 7/8 [46 mm] 2 to/à 3 1/4 [51 mm to/à 83 mm] DETAIL A Wall template cut out, finished wall / Gabarit de mur pour découpage, mur fini 5 [129 mm]

Sizes, models and finishes may differ from thoses presented.

## Warranty

CUPC®

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

### **Customer Service**

Ontario, West Canada : 888-287-5354 Quebec, Maritimes, United States : 866-473-8442



3-way no share Type T/P coaxial valve trim **TRF47** 

# **Specifications**


## Descriptions

- Trim only
- 6 positions (OFF, 1, 1 and 2, 2, 2 and 3, 3) share
- R45, R45-SPEX or R45-EX rough required to complete
- Thermostatic/pressure balance coaxial cartridge with check valves

### **Certifications**

- ASME A112.18.1
- ASSE 1016





Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**

Ontario, West Canada : 888-287-5354 Quebec, Maritimes, United States : 866-473-8442